

Contents.

Canada grass	Page	1
Adenki grass - Variety trial	"	3
Sarta grass - " " "	"	5
Mung grass - " "	"	7
Dolichos lablab. " "	"	9
Sorghums.		25, 27
Adenki grass - Field Trial	"	11
Sarta grass - Field Trial	"	13
Mung grass - Field Trial	"	15
Dolichos lablab. Field Trial	"	17
Sudan Grass (Field Trial)	"	19
Sudan Grass (Selections)	"	21

AM

PM

1000

AM

AM

AM

10

1

Canada Peas.

No.	Drought Resistance	Color of bloom	Time of bloom	Maturity	Seeds per pod	Sown
11097 ✓	Fair +	White.	MAY 29	JUN 28	4-5	4/12
11112 ✓	" +	White.	MAY 29	JUN 28	4-5	4/12
12887	Good	Purple	JUN 10	JUL 18	3-4	4/12
12888	Fair +	Purple.	JUN 10	JUL 18	5-6	4/12
16130	Good.	White.	JUN 3	JUL 10	4-5-6	4/12
16436	Poor	White.	MAY 31			4/12
16436A	Fair +	Purple	JUN 10	JUL 18	3-4	4/12
17006 +	Excell	Purple	MAY 26	Wfl. 7/5 Pl. 7/18	3-4 3-4	4/12
18455 ✓	Fair -	White.	JUN 3	JUN 28	4-5	4/12
18806 ✓	Fair -	Purple		JUN 28	2-3-4	4/12
19787	Poor	White.	JUN 14	JUL 20	4-5	4/12
19788	Good	White.	JUN 6	JUL 18	5-8	4/12
20467	Ex.	Purple	JUN 10	JUL 18	6-8	4/12
21288 ✓	Poor.	Purple	MAY 29	JUN 28	4-5	4/12
21290 ✓	Fair	White.	JUN 3	JUN 28	4-5	4/12
21605 ✓	Poor	Purple	MAY 26	JUN 28	4	4/12
21709 ✓	Good.	White.	MAY 31	JUN 28	5-6	4/12
21709A	Poor +	Purple	MAY 26	JUN 28	5	4/12
21709B	Good -	White.	JUN 3	JUN 28	5	4/12
22007 ✓	Fair.	Purple.	JUN 10	JUN 28	4-5	4/12
22037	Ex	White.	JUN 14		5	4/12
22044	Ex	White.	JUN 10	JUL 15	4-5-6	4/12
22640	Poor	White.	JUN 10	JUL 15	3-4	4/12
22041	Good +	White.	JUN 10	JUL 15	4	4/12
22046	Fair +	White.	JUN 17	JUL 18	4-5	4/12

Canada Prax.

No.	Drought Resistance	Color of Florm	Time of Florm	Maturity		Seeds
22048	Ex.	White.	JUN 10		4-5	4/12
22049	Ex.	White.	JUN 10	JUL 18	4-8	4/12
22079	Good +	Purple	JUN 17	JUL 25	4-6	4/13
23290	Poor	Purple	JUN 10	JUN 28	4-5	4/13
23290A	Poor	White.	JUN 6	JUL 18	4-5	4/13
23290B	Fair	White.	JUN 6	JUN 28	3-4	4/13
23290E	Good	White.	JUN 6	JUL 18	4-5	4/13
23290H	Poor	Purple.	JUN 6	JUL 10	5	4/13
23547	Poor	White.	JUN 3	JUN 28	5	4/13
23847	Fair	Purple	JUN 6	JUL 15	4-5	4/13
23848	Ex.	Purple	JUN 6	JUL 15	4	4/13
23850	Good	Purple	JUN 3	JUL 18	4-5	4/13
23851	Fair	White.	JUN 6	JUL 18	4-6	4/13
24179	Fair	White.	JUN 3	JUL 15	3	4/13
24262	Poor	White.	JUN 3	JUL 15	3-4	4/13
24314	Fair	Purple.	JUN 6	JUL 15	4-5	4/13
24893	Fair	Purple	JUN 3	JUL 10	4-5	4/13
24894	Poor	Purple	MAY 26	JUN 28	4	4/13
24895	Poor	White.	MAY 31	JUN 28	3-4-5	4/13
24940	Poor	Purple.	JUN 10	JUL 18	3-4	4/13
25280	Poor	White.	JUN 10	JUL 25	4	4/13
25439	Poor		JUN 10	JUL 25	3	4/13
25680	Poor	Purple.	MAY 29	JUN 28	3-4	4/13
25917	Poor	White.	JUN 17	JUL 25	4-5	4/13
29080	Poor	Purple.	JUN 3	JUN 28	5	4/13

Adenki Brass - (Variety Trial)
Section A north

No.	Size	Age	Date bloom	Mature	Seed	Seed Color	Area	Yield
17847A	Jr. 5	11'	AUG 6		9/7	Red with red. speckles	8 rds.	11
13391	" 5	12'	JUL 30		8/25	Red	2 rds.	2
16791	" 5	12 ²	8/18		9/10	Bl. spotted on buff.	2 rds.	3
17319	" 5	12 ³	JUL 30		8/25	Red	2 rds.	
17321	" 5	12 ⁴				Buff & Red	2 rds.	3
17324A	" 5	13'	8/18		1	Black & Buff.	2 rds.	3
17847	" 5	13 ²	8/9		9/7		2 rds.	3
19185	" 5	13 ³	AUG 6		8/25	Buff	2 rds.	1
19988	" 5	13 ⁴	JUL 30		8/22	Red	2 rds.	1
20010	" 5	14'	AUG 6		9/5	Bl. spotted with buff	2 rds.	3
20403	" 5	14 ²	JUL 26		8/22	"	2 rds.	2
21081	" 5	14 ³	JUL 30		8/25	Buff	2 rds.	2
21082	" 5	14 ⁴	JUL 30		8/25	Red	2 rds.	1
21083	" 5	15'	JUL 26		8/25	Red	2 rds.	2
21084A	" 5	15 ²	JUL 26		8/29	Brownish buff	2 rds.	2
22383	" 5	15 ³	9/9			Red	2 rds.	2
22410	" 5	15 ⁴	8/15		9/7	Red Straw	2 rds.	2
25255	" 5	16'	8/9		9/3	Straw	2 rds.	1
25916	" 5	16 ²				Red	2 rds.	2
28052	" 5	16 ³	AUG 2		9/3	Red	2 rds.	2
13389	" 5	16 ⁴				Greenish Buff & brown	2 rds.	2
13387	" 5		9/7				2 rds.	2
17881	"							

S 107

Serta Brac. (Variety Trial)
Pharolus calcaratus. Section A north

No.	Sown	Re	Date of bloom	Mature	Season	Height	Area	yield
13382	Je. 5.	17 ¹	8/28				2 rds.	1
13387	" 5	17 ²	9/7	adze			2 rds.	2
17850.	" 5	17 ³	8/9		9/4		2 rds.	1
25142	" 5	18 ¹	8/21				2 rds.	2
25143	" 5	18 ²	8/21				2 rds.	1
25523	" 5	18 ³	8/15		9/4		4 rds.	1
21291	" 5	18 ⁴					2 rds.	
30728	" 5	19 ¹					2 rds.	
30729	" 5	19 ²					2 rds.	
30730	" 5	19 ³					2 rds.	
33098	" 5	19 ⁴					2 rds.	
32641	" 5	20 ¹					2 rds.	
32642	" 5	20 ²					2 rds.	
32643	" 5	20 ³					2 rds.	
32644	" 5	20 ⁴					2 rds.	

8511 8

Mung Bean (Variety Trial)

Phaseolus radiatus Section A north

No.	Row	Pl.	Date of bloom	Mature	Season	Height	Area	Yield
10527	Jr. 4	1'	8/15	10/2	8/25	R	2 rds.	
13394	" 4	12	8/9	10/2	8/25	R	2 rds.	1
14960	" 4	13	8/9		8/25	R	2 rds.	1
16129	" 4	14	AUG 2		9/6	M	2 rds.	2
16210	" 4	2'	8/12	10/1	8/30	R	2 rds.	1
16211	" 4	2 ²	8/12	10/1	8/25	R	2 rds.	
17096	" 4	2 ³	9/9			R	2 rds.	
17283	" 4	2 ⁴	JUL 26		8/23	R	2 rds.	1
17284	" 4	3'	8/9	10/7	8/29	R	2 rds.	1
17285	" 4	3 ²	8/9		7/29	R	2 rds.	
17289	" 4	3 ³	AUG 2		8/23	R	2 rds.	1
17290	" 4	3 ⁴	AUG 2		8/25	R	2 rds.	1
17291	" 4	4'	8/9	10/2	8/25	R	2 rds.	1
17294	" 4	4 ²	8/9	10/7	8/29	R	2 rds.	1
17297	" 4	4 ³	AUG 3		8/25	R	2 rds.	1
17303	" 4	4 ⁴	AUG 2		8/25	R	2 rds.	1
17304	" 4	5'	8/13	10/7	9/7	R	2 rds.	1
17305	" 4	5 ²	AUG 2		9/7	M	2 rds.	2
17306	" 4	5 ³	JUL 26		8/29	M	2 rds.	1
17308	" 4	5 ⁴	AUG 2		9/7	M	2 rds.	1
17309	" 4	6'	AUG 6	10'	9/7	M	2 rds.	2
17512	" 4	6 ²	8/15		9/10	R	2 rds.	8
17848	" 4	6 ³	8/15		8/29	R	2 rds.	1
18310	" 4	6 ⁴				M	2 rds.	

No.	Form	Sp No.	Date of bloom	Mature	Season	Height	Area	Yield
21787	Jr. 4	7 ¹	8/15	10/7	R	8/29	2 rds.	1 4
21788	" 4	7 ²	9/14		R		2 rds.	
21789	" 4	7 ³	JUL 30	10/7	R	9/7	2 rds.	1 5
22409	" 4	7 ⁴	AUG 2	"	R	8/23	2 rds.	1 4
24813	" 4	8 ¹	8/9	10/2	R	8/29	2 rds.	12
25705	" 4	8 ²	8/9		M	9/7 Bl	2 rds.	1 10
26361	" 4	8 ³	8/9	10/7	R	8/29	2 rds.	1 4
28053	" 4	8 ⁴	AUG 3	"	R	8/23	2 rds.	12
28765	" 4	9 ¹	8/9		M		2 rds.	
28992	" 4	9 ²	8/15		R	9/7	2 rds.	1 4
28993	" 4	9 ³	8/15	10/2	R	8/29	2 rds.	8
29445	" 4	9 ⁴	AUG 2	"	R	8/25	2 rds.	1 2
30731	" 4	10 ¹	9/10		R		2 rds.	
30732	" 4	10 ²	9/9		R		2 rds.	4
30733	" 4	10 ³	9/9		R		2 rds.	8 8
30748	" 4	10 ⁴	AUG 6	"	R	7/29	2 rds.	1 4

99

Dolichos Lablab. (Variety Trial)

Section A north

No.	Form	P ₂	Bloom						
			Color	Date					
17534	Jr. 5		P	8/9					
17834	" 5		P	8/6					
25132	" 5		P	8/2					
25156	" 5		W	8/15					
25157	" 5								
25158	" 5		W	8/9					
25159	" 5	4	W	7/5					
25160	" 5	4	W	8/21					
27531	" 5								
26358	" 5		W	8/18					
27532	" 5		P	8/25					
27533	" 5		P	8/9					
28736	" 5								
25440	" 5								
31363	" 5								
27534	" 5								
01865	July 11								

Adzuki Beans - (Field Trial)

Section A north

No.	Sown	Harvested	Season		Area	Yield	
						actual	cal. per a.
17324	4				1/10 aers	117	17.8
17847	" 4				1/10 "	156	27.6
19185	" 4			+	1/10 "	134	22.3
21082	" 4			+	1/20 "	65	21.3
21083	" 4				1/10 "	71	11.8
28052	" 4				1/10 "	121	20.1
17851	" 4				1/10 "	168	28.0
17852	" 4				1/10 "	155	25.8
28052	" 4				1/10 "	98	16.3

Serta Bean (Field Trial)

Section A north

Plot	Sown	Harvested	Season		Area	yield actual	Per acre
21291	Gr. 4				1/10 acre		

Mung Bean (Field Trial)

Section A north

No.	Sown	Harvested		Area	Yield	
					Actual	Predicted
17283	Jan. 4		R	$\frac{1}{20}$ acre	21	7 bu
17308	" 4		M	$\frac{1}{20}$ "	41	13.6
28053	" 4		R	$\frac{1}{10}$ "	137	22.8

Golichos Labla B. (Field Trial) *Section A north*

No.	Sown	Harvested	Season	Area	Yield	
					Actual	Per acre
17357	Gr. 5			1/10 acre	39	
22025	" 5			1/10 "	74	
28032	" 5			1/10 "		

Sudan Grass. (Field Trial)

Section A with

$\frac{1}{2}$ acre Broadcast at the rate of 10
lbs. to the acre.

$\frac{1}{20}$ the cut for hay.

$\frac{1}{20}$ - yield of seed

53 lbs.

have sown in 18 in. rows at the
rate of $2\frac{1}{2}$ lbs. per acre.
No for hay.

$\frac{5}{10}$ - yield of seed ————— 183

50
50
50
33
183

Sudan Grass (Selections)

Section 7 North.

No.	Sown	Height	Bloom	Height	Mature	Character	Headed
25017-1		8/3					
" -2		7/19					
" -3		8/3					
" -4		8/3					
" -5		7/15					
" -6		7/19					
" -7		7/29					
" -8		8/3					
" -9		7/29					
" -10							
" -11		7/29					
" -12		7/19					
" -13		7/29					
" -14		7/19					
" -15							
" -16		7/19					
" -17		7/19					
" -18		7/19					
" -19		7/25					
" -20		7/29					
" -21		8/1					
" -22		7/29					
" -23		7/29					
" -24		7/19					

No.	Seeds	Head	Bloom	Height	Headed	Mature
25017-25		$\frac{7}{26}$				
21 -26		$\frac{7}{26}$				
" -27		$\frac{8}{2}$				
" -28		$\frac{7}{19}$				
" -29		$\frac{7}{19}$				
" -30						
" -31						
" -32		$\frac{8}{3}$				
" -33		$\frac{7}{26}$				
" -34						
" -35		$\frac{8}{3}$				
" -36		$\frac{8}{3}$				
" -37		$\frac{7}{25}$				
" -38		$\frac{7}{19}$				
" -39		$\frac{7}{25}$				
" -40		$\frac{7}{19}$				

Sorghums - G.I. Nos.
Section J north.

No.	Sown	Harvested	Bloom	Height				
G.I. 320	May 24							
G.I. 325	" 24							
G.I. 325	" 24	8/3						
" 378	" 24							
" 379	" 24							
" 383	" 24							
" 470	" 24							
" 471	" 24	7/5						
" 479	" 24							
" 482	" 24							
" 483	" 24							
" 485	" 24							
" 490	" 24	7/27						
" 491	" 24	8/3						
" 493	" 24	7/27						
" 274	" 24							
" 275	" 24							
" 377	" 24	7/27						
" 435	" 24	8/3						
" 436	" 24	8/3						
" 476	" 24							
" 485 1/2	" 24							
" 486	" 24							
" 489	" 24	7/19						

No.	Sown	Headed	Bloom	Height				
G.I. #492	May 24	7/25						
" 418	" 24							
" 419	" 24							
" 420	" 24	7/29						
" 422	" 24							
" 426	" 24							
" 427	" 24							
" 494	" 24							

Sorghum - S.P.I. No.

No.	Sown	Sect. 1 south -									
		Height at	No. Nodes above	Enter Nodes - Length Height	No. of Stems	Pithy or juicy	Sweet	Single Blade	Diam at base	Notes	Ad
25328	May 24	10	17	8-9	120	P	x	45	1 1/8	no	
25329	" 24	10	12-16	9	20-22	P	x	48	1 1/8	no	
25330	" 24	9	12-14	8-9	18-24	P	x	42	1 1/4	no	
25331	" 24	10	12	9-11 1/2	18-22	P	x	48	1"	no	
25332	" 24	10	12	8 1/2 - 9 1/2	20-22	P	x	54	1 1/2	no	
25333	" 24	10	14-17	10-11	17-20	P	x	48	1 1/8	no	
25334	" 24	8 1/2	18	7-8 1/2	22-24	P	x	50	1 3/8	no	
25335	" 24	8 1/2	16-16	5-8	18-22	P	x	42	1 1/4	no	
25336	" 24	10	17	6-9	18-22	P	x	42	1 1/4	no	
25337	" 24	7 1/2	14	4-6	16-22	P	x	44	1 1/4	no	
25338	" 24	no stem					P				
25339	" 24	8	16	6-8	18-22	P	x	54	1 1/4	no	
25340	" 24	11	18	8-11	18-22	P	x	48	1	no	
25341	" 24	9	15-19	5-8 1/2	18-20	P	x	40	1	no	
25342	" 24	8 1/2	15	7-10	17-20	P	x	46	1 1/8	no	
25675	" 24	10	16-20	7	18-22	P	x	34	1 1/4	no	
25676	" 24	no stem									
25677	" 24	14 1/2	22	4-8	20	P	x	36	1 3/8	no	
27877	" 24	9	17	8-10	17	J. yes		34	1	no	
27878	" 24	9	15	5-8 1/2	19	P-J	S	36	1	no	
27879	" 24	9	15	7-8	16	J.	S	35	1	no	
28733	" 24	no stem									
30437	" 24	12 1/2	16	8-11	22	P	x	42	1	no	
30438	" 24	9	17	7-9	17-19	P	x	38	1	no	

No.	Soon	Height	no. of Nodes	no. of leaves	Pithy or juicy	Short	Diam of stem at base	Length of leaf blades	Maturing of Nodes	Length of internode	Admixture
No.	Soon	Height	Nodes	Height							
0439	May 24	9	14	18	P	X	1	48	no	8-10	no
0440	" 24	10	15	18	P	X	1 1/8	48		10-14	no
0442	" 24	9	16	19	P	X	1 1/4	44	no	6 1/2-8	no
0443	" 24	10	15	17	P	X	1	44	no	8-11	no
0444	" 24	10	15-18	18	P	X	1	40	no	5-8	no
0445	" 24	10	15-17	19	P	X	1 3/8	51	no	7 1/2-10	no
0446	" 24	10 1/2	17	20	P	X	1 1/8	42	no	8-8 1/2	no
0447	" 24	11	17	19	P	X	1 1/8	43	no	8-9 1/2	no
0448	" 24	10	18	19	P	X	1 1/4	44	no	7-11	no
0449	" 24	11	15-17	18 1/2	P	X	1 1/8	48	no	7-10 1/2	no
0450	" 24	10 1/2	17-20	20	P	X	1 1/8	43	no	6-10	no
0451	" 24	10 1/2	15	22	P	X	1 1/8	45	no	7 1/2-11 1/2	no
0452	" 24	11	16	18	P	X	1 1/8	40	no	10-15	no
0453	" 24	10	18-20	20	P	X	1	46	no	6 1/2-8	no
0454	" 24	10	15	20	P	X	1 1/8	46	no	8 1/2-11	no
0455	" 24	9 1/2	15-17	19	P	X	1	40	no	9-10 1/2	no
0456	" 24	10 1/2	14-16	17	P	X	1	44	no	9 1/2-11	no
0457	" 24	10 1/2	17	19	P	X	1	42	no	6 1/2-11 1/2	no
2061	" 24	15	23-26	26	P	X	1 1/4	36	no	6-10	no
2062	" 24	11	17	17	P	X	1 1/8	42	no	9-12	no
3281	" 24	no - same									
3424	" 24	12	17	17	P	X	1	38	no	9-11 1/2	no
3425	" 24	12	16-18	18	P	X	1 1/4	42	no	14-9	no
744	" 24	10	15-18	17-19	P	X	1 1/8	48	no	7 1/2-10	no

Alfalfa. Pollination.

No.	Plant	No. Fls.	No. Pods	No. Seed	Seemed	Date.	Mature	Seed	
								Good	Bad
2112-1	2 nd .	8	2	3	X	6/20	7/24	2	1
2112-1	8 th	9	1	2	X	6/20	7/24	—	2
2112-2	4 th	13			X	6/20			
2112-2	4 th	12	9	13	X	6/20	7/18	10	3
2112-2	9 th	8	5	6	X	6/20	7/18	—	6
2112-2	6 th	15			X	6/20			
2112-2	8 th	10	3	4	X	6/20	July 18	4	
2112-3	3 rd	12			X	6/20			
2112-3	3 rd	12			X	6/20			
2112-3	3 rd	9			X	6/20			
2112-3	8 th	10	4	5	X	6/20	7/18	—	5
2112-3	8 th	11	5	5	X	6/20	7/18	—	5
2112-4	3 rd	9	3	3	X	6/20	7/24	—	3
2113-9	7 th	10			X	6/20			
2113-9	7 th	9			X	6/20			
2113-9	7 th	10			X	6/20			
27738	3 rd	10	1	1	X	6/20	7/18	1	—
27738	4 th	11	+	+	X	6/20	7/24	—	1
27738	9 th	12	3	2	X	6/20	7/18	2	—
27738	7 th	9	—	—	X	6/20	—	—	—
27738	7 th	10	2	2	X	6/20	7/24	2	—
27738	11 th	10	2	2	X	6/20	7/24	2	—
27738	10 th	8			X	6/20			
2112-3	4 th	7			X	6/22			

No.	Plant	No. Fls.	No. Pods	No. Seed	Sensured	Date	Mature	Seed	
								Good	Bad
2112-3	4 th	6			X	6/22			
2112-2	8 th	14			X	6/22			
2112-2	4 th	11			X	6/22			
2111-3	3 rd	11			X	6/22			
2112-4	10 th	8			X	6/22			
23625		10			X	6/22			
2112-2	8 th	7			X	6/24			
2112-1	9 th	6	2	3	X	6/24	July 18	—	3
2112-1	3 rd	10	/	/	X	6/24	7/24	—	1
2112-3	7	4	3	4	X	6/29	7/24	4	—
2112-4	10 th	7			X	6/29			
2112-1	8 th	7			X	6/29			
2112-1	1 st .	5			X	6/29			
2112-1	1 st .	5			X	6/29			
27738-1	4 th	7			X	6/29			
2113-10	5 th	4			X	6/29			
27739	1 st	4			X	6/29			
27739	1 st	5			X	6/29			
27739	1 st	9			X	7/3			
2112-1	7 th	5			X	7/3			
2112-1	5 th	11			X	7/3			
2112-1	5 th	10			X	7/3			
2112-1	3 rd .	8	—	—	X	7/3	—	—	—
2111-3	5 th	10			X	7/3			

No.	Plant	No. Fls.	No. Pods	No. Srd.	Srs. Srd.	Date	Mature	Seed	
								Good	Bad
2111-3	5 th	9			X	7/3			
2112-2	1 st	5			X	7/3			
2112-2	1 st	8			X	7/3			
2112-2	7 th	8			X	7/3			
2112-2	9 th	9	—	—	X	7/3	—	—	—
2112-2	9 th	8	—	—	X	7/3	—	—	—
2112-3	8 th	6	—	—	X	7/3	—	—	—
2112-3	8 th	9			X	7/3			
2112-4	4 th	9	—	—	X	7/3	—	—	—
2112-4	4 th	8	—	—	X	7/3	—	—	—
2112-4	4 th	8			X	7/3			
2112-2	5 th	10			X	7/3			
2112-1	8 th	6	—	—	X	7/3	—	—	—
2113-10	3 rd	4			X	7/3			
2111-3	4 th	14			X	7/8			
2111-3	4 th	12			X	7/8			
2111-3	4 th	10			X	7/8			
2111-3	4 th	8			X	7/8			
2111-3 ^A	4 th	5			Not	7/8			
2111-3 ^B	4 th	8	—	—	Not	7/8	—	—	—
2111-3 ^C	4 th	6	—	—	Not	7/8	—	—	—
2111-3	3 rd	12	—	—	X	7/8	—	—	—
2111-3	3 rd	8	—	—	X	7/8	—	—	—
2111-3	3 rd	11			X	7/8			

No.	Plant	No. Fls	No. Pods	No. Seed	Season	Date	Mature	Seed	
2111-3	3 rd	8			x	7/8			
2111-3	3 rd	9			x	7/8			
2111-3 ^D	3 rd	9			not	7/8			
2111-3 ^E	3 rd	8			not	7/8			
2111-3	2 nd	8	—	—	x	7/8	—	—	—
2111-3	2 nd	7			x	7/8			
2111-3 ^F	2 nd	7			not	7/8			
2111-3	6 th	8			x	7/8			
2111-3 ^G	6 th	4	—	—	not	7/8	—	—	—
2112-1	2 nd	7			x	7/8			
2112-1 ^H	2 nd	4			not	7/8			
2112-1	6 th	8	—	—	x	7/8	—	—	—
2112-1	6 th	6			x	7/8			
27738	2 nd	5	—	—	x	7/8	—	—	—
27738 ^F	2 nd	5			not	7/8			
27738 ^G	5 th	8			not	7/8			
27738	5 th	8			x	7/8			
27738	5 th	8			x	7/8			
27738	6 th	11			x	7/8			
27738	6 th	8	—	—	x	7/8	—	—	—
27738	6 th	9			not	7/8			
27738	12 th	4			x	7/8			
27738	12 th	7			x	7/8			
27738 ^I	12 th				not	7/8			

No.	Plant	No. Fls.	No. Pods	No. Seed	Perennet	Date	Mature	Seed
27738	11 th	8			x	7/8		
27738 ^U	11 th	7			Not	7/8		
27738	11 th	5			x	7/8		
2112-2 ^A	1 st	8			Not	7/8		
2112-2	1 st	6			x	7/8		
2112-2	1 st	6			x	7/8		
2112-2	7 th	5			x	7/9		
2112-2	8 th	4	—	—	x	7/9	—	—
2112-2	8 th	8			x	7/9		
2112-2	9 th	5			x	7/9		
2112-3	3 rd	5	—	—	x	7/9	—	—
2113-10	2 nd	7			x	7/9		
2113-10	2 nd	9			x	7/9		
27740	12 th	5			x	7/9		

[illegible]

Grass Gardens.
Section I - south

No.	Row
0444	
0508	
0637	
01719	
01720	
01721	
01722	
01723	
01724	
01725	
01726	
01727	
01728 ⁺	
01729	
01730	
01731	
01732	
01733	
01734	
01735	
01736	
01737	
01738	
01739	

No.

Grass Gardens.

		Sown	Row
201-1	Poa prat. x P. arach.		17 ⁸
201-2	" "		17 ⁵
201-4	" "		20 ²
201-A	" "		20 ⁷
201-B	" "		19 ³
201-C	" "		17 ¹
201-D	" "		17 ⁶
201-E	" "		19 ⁴
201-E	" "		20 ⁸
201-F	" "		17 ⁷
201-0	" "		19 ⁵
203-1	" "		18 ⁵
203-2	" "		20 ⁶
203-A	" "		17 ⁴
203-B	" "		18 ⁴
203-D	" "		19 ⁷
203-E	" "		20 ⁴
204-1	" "		18 ¹
204-3	" "		18 ⁶
204-5	" "		20 ³
204-6	" "		18 ⁸
204-7	" "		18 ³
204-8	" "		20 ⁵
205-1	" "		19 ¹
205-9	" "		19 ⁸

Sown

205-A	<i>Poa Prat.</i> X <i>Poa Arach.</i>	17 ³
205-B	" " " "	18 ²
205-C	" " " "	20 ¹
205-D	" " " "	19 ⁶
205-E	" " " "	17 ²
205-F	" " " "	19 ²
205-H	" " " "	18 ⁷
9612 ^{C.H.}	Pearl Millet	7 ⁷
533 F.C.D.	<i>Festuca arundinacea</i> ⁺	22 ¹
0444	" <i>spectabilis</i>	21 ⁶
0508	<i>Psoralea bituminosa</i> ⁺	
0637	<i>Korleria cristata</i> ⁺	21 ³
01534	Mikado Soybean	
01643	<i>Zoysia pungens</i> ⁺	
01644	<i>Vicia faba</i>	
01645	" ⁺	
01646	<i>Poa compressa polytricha</i> ⁺	
01719	<i>Festuca rubra</i> ⁺	Did not germinate
01720 ⁺	" " ⁺	

		Sown		
01721 ⁺	<i>Festuca ovina</i>	x	✓	Did not germ - 5 ³
01722 ⁺	" " (fancy)	x	✓	5 ⁴
01723 ⁺	" <i>divinseula</i>	x	✓	5 ⁵
01724 ⁺	" <i>pratensis</i>	x	✓	5 ⁶
01725 ⁺	<i>Avena elatior</i>	x	✓	6 ³
01726 ⁺	" "	x	✓	6 ⁴
01727 ⁺	<i>Agrostis canina</i>	x	✓	3 ⁷
01728 ⁺	" <i>vulgaris</i>	x	✓	3 ³
01729 ⁺	" "	x	✓	3 ²
01730 ⁺	" "	x	✓	3 ¹
01731 ⁺	<i>Alpecurus pratensis</i>	x	✓	5 ⁷
01732 ⁺	<i>Poa nemoralis</i>	x	✓	Did not germ - 7 ³
01733 ⁺	<i>Agrostis stolonifera</i>	x	✓	3 ⁶
01734 ⁺	" "	x	✓	3 ⁵
01735 ⁺	" "	x	✓	3 ⁴
01736 ⁺	<i>Poa pratensis</i>	x	✓	Did not germ - 7 ¹
01737 ⁺	" "	x	✓	7 ²
01738 ⁺	<i>Gynosurus cristatum</i>	x	✓	Did not germ - 3 ⁸
01739 ⁺	<i>Dactylis glomerata</i>	x	✓	6 ⁵
01740 ⁺	<i>Lolium perenne</i>	x	✓	4 ⁶
01741 ⁺	" "	x	✓	4 ⁷
01742 ⁺	" <i>italicum</i>	x	✓	4 ⁸
01772	<i>Manisuris granularis</i>		✓	
01874	<i>Phalaris arundinacea</i>		✓	
01875	" "	x	✓	23 ⁵

Sonn

01876	<i>Phalaris arundinacea</i>	x				23 ⁶
01877	"	x				23 ⁴
01878	"	x				23 ⁷
01879	"	x				24 ¹
01880	"	x				24 ²
01881	"	x				24 ³
01882	"	x				24 ⁴
01883	"	x				24 ⁵
01884	"	x				24 ⁶

		Sown			
16334	<i>Iris ensata</i>	x			
16975	<i>Poa sudetica</i>	x			21 ²
18334	<i>Pennisetum sp.</i>	x			
19537 ^x	<i>Agropyron cristatum</i>	x	✓		1 ¹
19538 ^x	<i>desertorum</i>	x	✓	Did not germ.	1 ²
19539 ^x	" " "	x	✓	" " "	1 ³
19540 ^x	" " "	x	✓	" " "	1 ⁴
19541 ^x	" " "	x	✓		
19703	<i>Coronilla varia</i>	x			
19728	<i>Festuca elatior</i>	x			21 ²
20014	<i>Vicia sp.</i>	x			
20249	<i>Carex sp.</i>	x			23
20250	" "	x			23
20473	<i>Festuca arundinacea</i>	x			21
20622	<i>desertorum</i>	x	✓	Did not germ.	16
20632	<i>Agropyron cristatum</i>	x	✓		2
20637 ^x	<i>sibiricum</i>	x	✓		2 ⁴
20646	<i>Elymus rabulosus</i>	x			24
20667	<i>Phleum Borhneri</i>	x			22
20760 ^x	<i>Agropyron sibiricum</i>	x	✓		2 ⁵
21025	<i>Sporobolus elongatus</i>	x	✓	Not germ	14
21193	<i>Festuca elatior</i>	x			21
21312	<i>Chloris virgata</i>	x			
21321	<i>Andropogon halimifolius</i>	x			
21312	<i>Andropogon halimifolius</i>	x			21

		Sown		
21790	<i>Phacelus pilosus</i>	x ✓		16'
21886	<i>Lycopodium variegata</i>	x		
21887	" "	x		
22837	<u>date</u>			
23204	<i>Trigonella foenum-graecum</i>	x		
23475	<i>Paspalum dilatatum</i>	x	no notes	
23660	<i>Phalaris cornubensis</i>	x		
24402	<i>Panicum muticum</i>	x	no notes	
24434	<i>Panicum</i> "		—	
24466 ⁺	<i>Agropyron imbricatum</i>	x ✓		2 ²
24467 ⁺	" <i>cristatum</i>	x ✓		2 ³
24816	<i>Eragrostis abyssinica</i>	x ✓		12'
24838	<i>Festuca pratensis</i>	x		22 ³
25085 ⁺	<i>Agropyron imbricatum</i>	x ✓		17
25086 ⁺	" <i>elongatum</i>	x ✓		18
25206	<i>Festuca elatior</i>	x		22 ⁴
25210	<i>F. arundinacea</i>	x		22 ²
25349 ⁺	<i>Agropyron</i> sp.	x ✓		2 ⁶
25790 ⁺	<i>Lolium perenne</i>	x ✓		4 ⁵
25791 ⁺	" "	x ✓		4 ⁴
25792 ⁺	" "	x ✓		4 ³
25793 ⁺	" "	x ✓		4 ¹
25794 ⁺	" <i>italicum</i>	x ✓		6 ²
25796 ⁺	" "	x ✓		4 ²
25808	" "	x		

		Sown		
25815	<i>Solium italicum</i> (Per.)	x		
25821	" "	x		
26119	<i>Danthonia semi-annularis</i>	x		
26200	<i>Solium strictum</i>	x		
26652	<i>Eliurus argenteus</i>	x	✓ Did not germinate	14
26668	<i>Aluonis</i> sp.	x		
26786	<i>Alysicarpus vaginalis</i>	x	✓ Not germinated	15 ³
26817	<i>Coronilla varia</i>	x		
26838	<i>Agropyron tenerrimum</i>	x		
27095	Grass	x		
27200	<i>Agrostis stolonifera</i>	x		23
28199	<i>Agropyron cristatum</i>	x	✓	8 ⁷
28219	<i>Festuca ampula</i>	x		not germinated
28342	<i>Eragrostis lappula divaricata</i>	x	✓	12
28540	<i>Trichloris mendocina</i>	x	✓	15
28545	<i>Eragrostis plana</i>	x	✓	12
28653	<i>Eragrostis lehmanniana</i>	x	✓	12
28680	<i>Andropogon refractus</i>	x	✓	13
28767	<i>Melinis minutiflora</i>	x		
28768	" "	x		
28778	<i>Malica violacea</i>	x	✓	15
28828	<i>Echinum simplex</i>	x	✓	14
29002	<i>Echinochloa crus-galli</i>	x		
29100	<i>Melinis minutifolia</i>	x		
29387	<i>Eragrostis plumosa</i>	x	✓	12

		Sown		
29425	<i>Aristida pennata</i>	x	✓	Did not germ 11 ⁶
29426	" " , minor	x	✓	" " " 11 ⁵
29980	<i>Panicum muticum</i>	x		
30016	<i>Agropyron dasyanthum</i>	x		Did not germ - 2 ⁷
30024	<i>Poa caespitosa</i>	x		" " " 7 ⁴
30106	<i>Coronilla scorpioides</i>	x	✓	15 ⁶
30368	<i>Lupinus albus</i>	x		
30736 ^x	Millet	x	✓	10 ⁸
30873	<i>Desmodium latifolium</i>	x		Did not germ 1 ¹
30875	" <i>pitcherfolium</i>	x		" " 1 ²
30965	<i>Syntherisma ciliare</i>	x	✓	Did not germ 11 ³
30966	" "	x	✓	Did not germ 11 ⁴
31591	<i>Arundinella setosa</i>	x	✓	13 ⁸
31593	<i>Crotolaria incana</i>	x	✓	13 ⁵
31595	<i>Digitaria consanguinea</i>	x	✓	Did not germ 11 ²
31596 ^x	" <i>longifolia</i>	x	✓	11 ¹
31597	<i>Eriochloa ramosa</i>	x	✓	Did not germ 11 ⁷
31605	<i>Syntherisma consanguinea</i>	x	✓	Did not germ 10 ⁶
31685	<i>Eragrostis pectinacea</i>	x	✓	12 ⁴
31715	Crab grass.	x	✓	14 ⁵
31717 ^x	<i>Eriochloa ramosa</i>	x	✓	11 ⁸
31896	<i>Bromus unioloides</i>	x		Did not germ 6 ⁶
32029	<i>Coronilla valentina</i>	x	✓	16 ⁵
32111		x		
32120 ^x	<i>Syntherisma sh-</i>	x	✓	Did not germ 10 ⁵

Sown

32387		Not germ.	14 ⁴
32399 ^x	<i>Panicum flavescens</i>	Not germ.	8 ²
32305 ^x	<i>Coronilla varia</i>		
32406 ^x	<i>Agropyron cristatum</i>	Did not germ.	2 ⁸
32429 ^x	<i>Panicum isachne</i>	Not germ.	9 ¹
32430 ^x	<i>Manisuris granularis</i>	Not germ.	12 ⁷
32433 ^x	<i>Syntherisma sp.</i>	Did not germ.	10 ⁴
32434 ^P		" " "	
32437 ^x	<i>Panicum trypheron</i>	Did not germ.	8 ⁵
32438 ^x	<i>Ischaemum pilosum</i>	Did not germ.	7 ⁸
32443 ^x	<i>Tripsacum filiformis</i>	" " "	
32444 ^x	<i>Themeda triandra</i>	" " "	
32445 ^x	<i>Ischaemum ciliare villosum</i>	" " "	
32446 ^x	<i>Brachypodium sylvaticum</i>	" " "	
32447 ^x	<i>Andropogon pertuans</i>	" " "	
32448 ^x	<i>Arundinella furcata</i>	" " "	
32449 ^x	<i>Cassia sp.</i>	" " "	
32452 ^x	<i>Panicum antidotale</i>	" " "	
32450 ^x	<i>Rhus typhina</i>	" " "	
32456 ^x	<i>Desmodium mollis</i>	" " "	
32465 ^x	<i>Agrostis sp. (creeping)</i>	" " "	
32466 ^x	R. I. Bent	" " "	
32467 ^x	<i>Festuca rubra</i>	" " "	
32468 ^x	" <i>ovina</i>	" " "	
32469 ^x	<i>Chloris (Rhodes)</i>	" " "	
32488 ^x	"	Not germ.	15 ⁷

Sown

32452	<i>Panicum antidotale</i>		
32633	<i>Vigna sinensis</i>		9 ³
32642	<i>Indigofera tinifolia</i>	Not sown	16 ²
32650	<i>Tephrosia hookeriana</i>		16 ³
32652	<i>Cassia patellaria</i>		16 ⁴
32653	<i>Andropogon sorghum</i>	Did not germ.	
32654	" "	Did not germ.	9 ⁶
32655	" "		9 ⁵
32690	<i>Solinum multiflorum</i>		
32768	<i>Panicum miliaceum</i>		9 ⁴
33137	<i>Panicum flavescens</i>		9 ⁸
33268	<i>Longum galanga</i>		8 ¹
33427	<i>Eleusine corocana</i>		15 ⁸
33428	<i>Pennisetum spicatum</i>		8 ⁸
33437	<i>Medicago sativa</i>		9 ⁷
33475			
33516	<i>Syntherisma sp.</i>	Did not germ.	10 ³
33595	<i>Andropogon annulatus</i>		13 ¹
33596	" "	Did not germ.	13 ²
33597	" <i>pertusum</i>		13 ³
33602	<i>Cenchrus biflorus</i>	Not sown	14 ⁸
33604	<i>Crotalaria medicaginea</i>	Not sown	13 ⁷
33606	<i>Cynodon dactylon</i>	Did not germ.	6 ⁷
33607	<i>Pastura sp.</i>		6 ⁸
33608	<i>Indigofera tinifolia</i>	Not sown	5 ⁸
33609	<i>Panicum antidotale</i>	Did not germ.	15 ⁴
			8 ³

Sown

33610 ^x	<i>Panicum</i> sp.	x	9 ²
33611	<i>Pennisetum cenchroides</i>	x	Did not germ - 7 ⁵
33613	" sp.	x	Did not germ - 7 ⁶
33614	<i>Setaria</i> sp.	x	" " " 10 ⁷
33617	<i>Syntherisma</i> sp.	x	" " " 10 ²
33619	" sp.	x	" " " 10 ¹
33620	<i>Eriochloa polystachya</i>	x	" " " 14 ⁶
33640	<i>Alysicarpus vaginalis</i>	x	Not germ 15 ⁵
34195	<i>Trifolium</i> sp. (algeria)	x	
34196	<i>T. angustifolium</i> (")	x	
34197	<i>T. procumbens</i> (")	x	
	<i>M. Argentina</i> (Darmstadt)		
25276	Shafel clover:		
	Salys Giant Crimson clover		



No.	Habit	Height	Color Fls.	Color Sep.	No. of Stems	Length of stem	Fils. per raceme	And	And
679	E	22	G	P	35	22	22	4/7	
12231	E	24	G	P	50	28	22	"	
9975	E	24	G	P	65	24	19	"	
25192	E	30	G	P	58	30	15	"	
22962	H.E.	22	G	P	32	34	20	"	
20715	H.E.	26	G	P.Y.	35	28	22	"	
20168	E	24	G	P	60	24	28	"	
20896	E	20	G	P	75	22	18	"	
3507	E	22	G	P	33	24	18	"	
13564	E	24	G	P	42	26	18	"	
2847	E	26	G	S.P.	90	30	22	"	
Aug. 10	E	20	G	P	56	24	13	"	
Aug. 25	E	22	G	S.P.	36	24	16	"	
Aug. 90	P	8	G	Y.	180	26	15	"	
172	P	8	G	Y.	170	22	14	"	
2107	E	14	G	P	18	28	20	"	
2111-3	EE	30	P	G.Y.	32	30	18	"	
2113-9	E	24	G	L	62	24	18	"	
27739	H.E.	24	P	G.Y.	36	26	18	"	
21633	H.E.	18	G	P	12	26	18	"	
20023	H.E.	20	G	S.Y.	28	26	15	"	
47	E	26	G	P	19	26	17	"	
12846	E	24	G	P	58	24	17	"	
27738	E	26	P	G.Y.	27	28	18	"	
2113-10	S.E.	16	G	Y.	28	30	30	"	

	Height	Habit	Color of flower	Length of tube	Fls per tube	Color of tube	Wd of tube	Cont
2113-3	22	E	P	24	18	G	61	9/17
24454	12	P	Y.	24	16	G	63	"
21247	24	E	P	28	16	G	31	"
2817	24	E	D.P.	24	28	G	35	"
98	8	P	Y.	26	20	P	32	"
28	28	E	D.P.	28	18	G	26	"
11	26	S.E	Lilac	32	22	P	86	"
1	26	E	P	26	18	G	28	"
19240	28	E	P	28	25	G	50	"
3508	18	E	P	18	18	G	25	9/17
22417	28	E	P	30	18	G	40	"
20716	22	A.S.	P	30	20	G	65	"
21232	28	E	D.P.	30	22	G	82	"
19969	28	E	P	30	26	G	40	"
19976	22	E	P	22	20	G	45	"
12772	26	E	P	26	18	G	30	"
991	24	E	P	26	20	G	52	"
1159	24	E	P	28	20	G	25	"
13999	24	E	P	26	20	G	52	"
22788	26	E	P	28	18	G	30	"
16317	22	E	P	24	24	G	56	"
0468	22	E	P	24	24	G	38	"
21269	24	N E	D.P.	30	20	G	35	"
22418	22	E	P	24	18	G	39	"
22467	24	E	D.P.	28	24	G	74	"

64	Complete	Length of stem	Color of fls.	Color of stems	No. of obs. per raceme	Habit.	Notes of stem	Cut
No.	Height							
12549	20	30	P	G	22	S.E	30	6/17
21962	22	24	P	G	30	E	47	"
2	26	36	P	G	20	N.E.	17	"
12	22	28	L.P.P	G	24	E	75	"
100	16	22	Y.	G	15	S.E	31	"
2118	16	18	P	G	18	E	15	"
2843	24	26	D.P	G	20	E	60	"
24455	16	35	Y.	G	18	Proc.	16	"
2112-2	18	28	Gr. Y.	G	34	S.E.	26	6/18
27739	22	24	G Y.	G	18	E	28	"
24511	22	24	P	G	16	E	60	"
25019	22	24	P	G	30	E	45	"
18391	24	26	P	G	24	E	53	"
177	24	30		P	14	Proc.	40	5/21
2116	24	32		G	20	Proc.	55	"
36	38	38		G	14	E	30	"
184	16	30		Reddish	25	Proc.	28	"
185	20	30		Redd.	21	Proc	36	"
2155	18	24		"	20	Proc	36	"
21217	24	28		"	20	Proc	38	"
2812	20	24		"	14	S.E.	21	"
2112-1	22	26		G	20	S.E.	34	"
2113-4	24	24	W	G	18	E	38	6/19
9359	24	24	P	G	20	E	28	"

No.	Height	Length of Stems	No of Stems	Color of fls.	Color of Stems	Height of fl.	No of fl.	
14786	24	24	58	P	G	E	18	6/9
22789	26	26	40	P	G	E	18	"
21633	24	36	40	P	G	E	18	"
16399	24	26	55	P	G	E	22	"
21735	28	30	55	P	G	E	20	"
24002	28	30	60	P	G	E	24	"
22416	22	24	62	P	G	E	26	"
11651	22	24	38	P	G	E	18	"
7586	26	30	20	P	Purple	E	15	"
5	22	24	35	P	P	E	16	"
16	24	24	48	P	P	E	22	"
60	20	24	20	P	P	E	20	"
116	30	30	30	P	P	E	22	"
2855	14	22	65	W	G	S.E	22	"
20721	22	24	35	P	P	E	15	"
24456	7	26	22	P	P	P	28	"
2112-3	22	24	42	Gr. Y.	P	E	32	"
2113-5	12	16	23	Gr. Y.	G	E	28	"
27740	24	26	34	Gr. Y.	Gr	E	20	"
9748	18	22	50	Bl. P	Gr	E	20	"
M. pro.	24	30	50	Law.	P	E	22	"
9450	20	22	40	P	G	E	20	6/20
18425	24	24	44	P	G	E	22	"
22790	24	24	58	P	P	E	20	"
22501	24	30	30	P	G	E	22	"

66

Compass

No.	Height	Length of branches	No. of stems	Color of fls.	Color of stems	Habit	No. of fls.	Ent.
18470	26	32	64	Plumish P	G	E	25	6/20
21827	24	28	78	P	G	E	22	"
24603	28	34	60	Plumish greenish light yellow	G	E	24	"
17992	24	24	40	P	G	E	20	"
11652	22	24	36	P	G	E	24	"
12803	24	26	60	P	G	E	22	"
7	22	24	48	P	G	E	22	"
18	20	24	30	Bl. yell.	G	E	22	"
60	18	22	38	P	P	E	22	"
142	24	24	33	P	G	E	12	"
191	18	20	42	P	G	E	15	several wavy " "
2160	14	20	42	smoky yellow	G	E	20	"
16401	22	22	34	P	P	E	24	"
20722	18	20	115	P	G	E	18	1st 2nd Faintly " "
24451	3			P	P	Pio.	6	"
2112-4	20	24	22	Gr. Y.	P	S. E.	22	"
2113-6	18	20	40	Gr. L.P.	G	E	22	"
32	20	22	28	P	G	E	16	"
23752	22	22	47	P	G	E	15	"
24928	24	28	38	P	P	E	18	"
9452	24	26	56	P	G	E	26	"
18751	28	30	55	P	G	E	18	"
22001	30	34	60	P	G	E	22	"
20571	24	32	54	smoky yellow	G	P. Pio.	26	"
13436	26	28	50	P	G	E	28	"

No.	Height	No. of stems	Length of Branches	arb. of fls.	No. of fls.	Habit	Color of stems	Comb
25115	22	58	30	P	20	erect	P	6/10
19822	30	52	30	P	30	E	G	"
0467	32	34	30	P	18	E	P	"
13521	22	24	25	P	22	E	G	"
8	20	53	22	P	22	E	G	"
19	30	28	32	Bluish	24	E	P	"
84	12	66	18	Y.	16	Pro	P	"
152	28	40	32	light bluish purple	26	E	G	"
2104	28	58	32	P	20	E	G	"
2807	20	33	22	P	20	E	P	"
16403	22	60	24	P	23	E	G	"
23625	12	55	18	Y.	10	Pro	R	"
2111-1	24	38	26	Amber yellow	20	E	R	"
25071	10	—	18	Y.	14	S.E.	G	"
2113-7	24	58	24	P	20	E	G	"
27746	20	52	22	Bluish	22	E	G	"
32B	20	32	22	P	16	E	G	"
8823	22	45	24	P	18	E	G	"
22465	22	11	24	S. P.	20	E	R	"
0312	14	54	16	P	12	E	G	"
0375	24	55	24	P	24	E	G	"
24724	24	58	28	P	32	E	G	"
27737	24	54	26	P	24	E	G	"
2113-8	14	42	16	Smoky green yellow	24	E	C	"

No.	Height	Length of branches	Width	Color of fls.	No of fls.	Color of stems	and	No of stems
2113-1	22	24	Σ	nearly white	20	G	6/20	56
2112-1	25	36	K.E.	sunbry yellow	25	P	"	55
24452	14	28	Pro	Y	20	P	"	48
20988	26	26	Σ	P	18	P	"	62
2811	30	30	Σ	P	32	G	"	56
2105	28	30	Σ	S.P.	26	G	"	35
170	18	36	Pro.	sunbry yellow	16	G	"	56
86	20	24	S.E.	Y.	14	P	"	23
20	30	30	Σ	bluish purple	20	P	"	33
9	24	24	Σ	P	28	G	"	38
22784	24	24	Σ	P	20	G	"	26
13399	20	30	Σ	P	22	G	"	58
14972	24	24	Σ	P	20	R	"	18
24635	20	22	Σ	S.P.	20	R	"	23
24836	26	30	Σ	P	26	G	"	70
20714	24	30	Σ	P	22	G	"	60
20425	18	42	Σ	P	20	P	"	44.
21032	24	26	Σ	P	22	G	"	30
19968	26	28	Σ	P	22	G	"	43
9453	24	26	Σ	P	20	G	"	40

71

6468

28219 - 0

22448 - 0

153
53 4

33/ 236
224
1

